



www.brune.info

EVAPORATIVE HUMIDIFIERS

B 120 & B 125

Healthy and value-preserving room climate!



THE COMPACT ONES

BY BRUNE!

With the B 120 and the B 125, BRUNE presents its compact all-rounders. Both appliances are supplied ready to plug in and impress with their pleasantly quiet and energy-efficient operation. Their low weight enables easy transport and their generous water supply of over 10 liters makes them ideal for continuous operation.

By employing the natural principle of evaporation, overhumidification, precipitation and limescale deposits are being avoided.

The air is passed through the evaporation filter, humidified and additionally cleaned of coarse dust particles. The humidifiers B 120 and B 125 thus not only protect valuable furnishings from excessively dry air, but also ensure physical well-being in living, working and office spaces.

Thanks to their compact size and in conjunction with BRUNE's external hygrostat the B 120 and the B 125 are ideally suited for use and installation in showcases, sales counters, cabinets and humidors.





B 120

Proven and convenient!

Thanks to its intelligent modular design, it is easy and safe to use and supplies living and office spaces up to max. 130 m³ with pleasant humidity. The evaporative humidifier is also a competent partner for professional tobacco storage (70% RH) in humidors up to 6 m³.

You will find the water level indicator on the front and the on/off switch, as well as the water filler flap, located on the top of the B 120. It is therefore ideally suited for installation in display cases, sales counters, cabinets and humidors. This occurs completely ozone-free harmless to health.



EXAMPLES **OF USE**



- Living rooms
- Office spaces
- Music rooms
- Churches
- Museums



- Galleries
- Wine cellars
- Sales counters
- Humidors
- Libraries



- IT rooms
- Laboratories
- Copy shops
- Print shops
- etc.

SPECIFICATIONS

DESIGN	B 120	B 125
» Color	white / black	white
» Dimensions (WxHxD)	46,6 cm x 29,1 cm x 27 cm	45 cm x 28,5 cm x 29,8 cm
» Housing	Plastic	Plastic
» Empty weight	ca. 3,6 kg	ca. 4,2 kg
CHARCTERISTICS	1 5 1	
» Power connection	230 V / 50 Hz	230 V / 50 Hz

ca. 25 W

ca. 11 liters

ca. 25 W

ca. 11 liters

OPERATING DATA

Power consumption

Water tank volume

» For room sizes up to	max. 55 m² / 130 m³	max. 60 m² / 140 m³
» Evaporation performance	max. 900 g/h at 25°C and 20 % r.h. max. 400 g/h at 23°C and 45 % r.h.	max. 950 g/h at 25°C and 20 % r.h. max. 370 g/h at 23°C and 45 % r.h.
» Operating noise	ca. 34 dBA	ca. 34 dBA





Luftbefeuchtung Proklima GmbH

Schwarzacher Straße 13 D-74858 Aglasterhausen/Germany

> E-Mail: mail@brune.info Web: www.brune.info

Phone: +49 (0) 62 62 / 54 54 Fax. +49 (0) 62 62 / 32 55